



WriteOnGrid [en]

To write on lines
of a grid.

Version 0.1.8 - 05/11/2024

Cédric Pierquet
c pierquet - at - outlook . fr
<https://github.com/cpierquet/WriteOnGrid>

- ▶ Some commands to create a grid (5x5 or Seyes or Ruled) and to write "on" the lines.
- ▶ Possibility to personalize size, margins, ...



Thanks to Patrick Bideault for ideas and help !

LATEX

pdfLATEX

LuatATEX

TikZ

TEXLive

MiKTEX

Usage

1 The package

1.1 Loading of the package, used packages

The package `WriteOnGrid` loads within the preamble :

```
\usepackage{WriteOnGrid}
```

Code *TeX*

It's mostly compatible with `latex`, `pdflatex`, `lualatex` or `xelatex` compilation !

For a better compatibility, `xcolor` isn't charged anymore with options, so the usefull colors are directly defined within the package.

It loads the following packages and libraries :

- `tikz` with the librairies `<calc>` and `<positionning>` ;
- `xstring`, `xparse` and `simplekv`.

1.2 The package itself

The idea is to, thanks to TikZ, propose commands and environment to work with a grid, and to write on the lines.

```
%environment, with keys to prepare the grid  
%commands to write or pass a line  
  
\begin{EnvGrid}[keys]<color>  
    \WriteLine[keys]<alignment>\{text\}  
    \PassLine  
\end{EnvGrid}
```


Code *TeX*

1.3 Overall functioning

The grid is given by the number of squares ($\text{nbCol} \times \text{nbRow}$), and after we can adjust with *overtakings* to enlarge the grid onto the margins of the paper (left or right). We can also *adjust* the global margin, to begin the lines differently.

For example, a 5×5 grid :

- with a size `24x5` squares ;
- with an overtaking by `2` squares at the left and `3` squares at the right ;
- with a global margin of `1` square ;
- with a `border` to show the *basis* grid.



The `tikzpicture` is *bounded* by the `border`, in order to specify overtakings or alignment.

The left-border of the `border` is aligned on the left-margin of the page, so take care of the `\parindent`.

1.4 Predefined colors and styles

The package WriteOnGrid proposes "shortcuts" for classic colors !

```
\definecolor{TyrianPurple}{rgb}{0.4,0.01,0.24}
\definecolor{PapierRose}{HTML}{E6B8E6}
\definecolor{PapierGris}{HTML}{D7E2EE}
%Colors for Seyes
\def\ColSeyes{PapierRose/PapierGris}
%Colors for Ruled
\def\ColRuled{PapierGris/TyrianPurple}
```

Code LaTeX

TyrianPurple

PapierRose

PapierGris

Code LaTeX

Note that, since the latest version 0.1.8, rules thicknesses can be globally redefined via `tikzset` (for printing purposes in particular).

```
%grid
\tikzset{WoGridp/.style={semithick}}      %0.6pt
%secondary grid (if Seyes)
\tikzset{WoGridp/.style={thin}}            %0.4pt
%bar
\tikzset{WoGridbar/.style={thick}}         %0.8pt
```

Code LaTeX

1.5 The number of squares

The number of grid squares (for individual grids and environments) can be given in several ways:

- `(NumSquares=<nbcols>x<nblines>)` to specify manually;
- `(NumSquares=Auto)` to fill the rest of the page (horiz. and vert.);
- `(NumSquares=Cx<nblines>)` to fill horizontally and specify the number of lines;
- `(NumSquares=<nbcols>xL)` to fill vertically and specify the number of columns.

Note that the calculations carried out to determine the remaining *space* do not take into account any elastic springs that L^AT_EX can add to *optimize* the space.

To *force* the addition of additional line(s), it is possible to use:

- `(NumSquares=Auto*)` to force the addition of one more line;
- `(NumSquares=Auto**)` to force the addition of two more lines;
- `(NumSquares=Auto***)` to force the addition of three more lines;
- etc.

2 Commands, keys and options

2.1 The command

```
%command, with keys to prepare the grid  
\DispGrid[keys]<color>
```

Code 

The first argument, *optional*, between [...] give the **(keys)** :

- **(NumSquares)** to specify the size of the grid, under (nbCol)x(nbRow) ; default : **(17x5)**
- **(Unit)** to specify the scale of the grid ; default : **(1)**
- **(Margin)** to specify the global margin at the beginning of the lines ; default : **(0)**
- the boolean **(DispBar)** to display or not the bar ; default : **(true)**
- **(Enlarge)** to specify the squares-overtakings, globally with L/R or side by side with L/R ; default : **(0)**
- the boolean **(Border)** to display the basis border of the grid ; default : **(false)**
- the key**(Grille)**, from **(5x5/Seyes/Ruled)**, to specify the grid's type. default : **(5x5)**

The second argument, *optional*, between <...> is the color(s) of the grid :


- by **(Color)** (**lightgray!66**) by default) for 5 × 5 ;
- by **(ColorA/ColorB)** (**lightgray!66/lightgray!33**) by default) for Seyes or Ruled.

```
%18x4 big squares, w/o overtaking, Seyes colors, w/o margin/bar  
\DispGrid[NumSquares=18x4,Grid=Seyes,DispBar=false]<\ColSeyes>
```

Code 

```
%36x8 small squares, overtakings 3/3, PapierGris color  
\DispGrid[NumSquares=36x8,Enlarge=3/3]<\PapierGris>
```

```
%12x3 lines "Ruled", w/o overtakings, Ruled colors, centered, with 2-margin  
\begin{center}  
  \DispGrid[NumSquares=12x3,Grid=Ruled,Margin=2]<\ColRuled>  
\end{center}
```



2.2 The environment

```
%environment, with keys to prepare the grid
\begin{EnvGrid}[keys]<color>
...
\end{EnvGrid}
```

[Code \$\text{\LaTeX}\$](#)

The first argument, *optional*, between [...] give the **(keys)** :

- **(NumSquares)** to specify the size of the grid, under (nbCol)x(nbRow) ; default : **(17x5)**
- **(Unit)** to specify the scale of the grid ; default : **(1)**
- **(Margin)** to specify the global margin at the beginning of the lines ; default : **(0)**
- the boolean **(DispBar)** to display or not the bar ; default : **(true)**
- **(Enlarge)** to specify the squares-overtakings, globally with **L/R** or side by side with **L/R** ; default : **(0)**
- the boolean **(Border)** to display the basis border of the grid ; default : **(false)**
- the key**(Grille)**, from **(5x5/Seyes/Ruled)**, to specify the grid's type. default : **(5x5)**

The second argument, *optional*, between <...> is the color(s) of the grid :

- by **(Color)** (**lightgray!66**) by default) for 5×5 ;
- by **(ColorA/ColorB)** (**lightgray!66/lightgray!33**) by default) for Seyes or Ruled.

```
%18x4 big squares, w/o overtaking, Seyes colors, 3-margin
\begin{EnvGrid}[NumSquares=18x4,Grid=Seyes,Margin=3]<\ColSeyes>
\end{EnvGrid}
```

[Code \$\text{\LaTeX}\$](#)

```
%36x8 small squares, overtakings 3/3, PapierGris color
\begin{EnvGrid}[NumSquares=36x8,Enlarge=3/3]<PapierGris>
\end{EnvGrid}
```

```
%12x3 lines "Ruled", w/o overtakins, Ruled colors, centered, with 2-margin
\begin{center}
  \begin{EnvGrid}[NumSquares=12x3,Grid=Ruled,Margin=2]<\ColRuled>
  \end{EnvGrid}
\end{center}
```



2.3 Write on the lines

The idea is to write on the created grid (environment !). In order to write *right* on the lines, we can :

- give the lines one by one ;
- avoid using multilines paragraphs, items ;
- pass a line.

```
...
%to write the lines, one by one
\WriteLine[keys]<alignment>{text}
%to pass the ligne
\PassLine
...
```

Code *TeX*

The first argument, *optional*, between [...] give the **⟨keys⟩** :

- **⟨OffsetH⟩**, in squares, to shift the text from the **margin** ; default : **{0}**
- **⟨OffsetV⟩** to shift vertically the line ; default : **{0pt}**
- **⟨Scale⟩** to specify the scale of the given text. default : **{1}**

the second argument, *optional*, between <...> is the horizontal alignment (**⟨left/center/right⟩**) of the text in the basis **border**, **(left)** by default.

Le third argument, *mandatory* and between {...} is the text, eventually with options.

```
\begin{EnvGrid}[NumSquares=36x8]
  \WriteLine[Scale=1.5]{my text on ligne 1\ldots}
  \WriteLine[Scale=1.5]<center>{\ttfamily my tetetype text centered on line 2\ldots}
  \WriteLine[Scale=1.5]<right>{right-align text on line 3\ldots}
  \WriteLine[Scale=1.5,OffsetH=0.1]{\textcolor{red}{red text, 1mm-shifted}\ldots}
  \PassLine
  \WriteLine[Scale=0.5]{\sffamily sans serif text, reduced by 50\%, on line 6\ldots}
  \WriteLine[Scale=1.5,OffsetH=3]{\cursive 3 squares-shifted text\ldots}
\end{EnvGrid}
```

Code *TeX*

my text on ligne 1...

my tetetype text centered on line 2...

right-align text on line 3...

red text, 1mm-shifted...

sans serif text, reduced by 50 %, on line 6...

3 square

```
\begin{EnvGrid}[NumSquares=16x4,Margin=2,Grid=Ruled]<\ColRuled>
  \WriteLine[Scale=1.5]{\textcolor{red}{red text on line 1}\ldots}
  \WriteLine[Scale=1.15,OffsetH=1]{$(1+x)^2=1+2x+x^2$ on line 2, with 1-square offset\ldots}
  \WriteLine[OffsetH=-1]{\textcolor{blue}{blue text, back to left, on line 3}\ldots}
\end{EnvGrid}
```

Code *TeX*

red text on line 1...

$(1 + x)^2 = 1 + 2x + x^2$ on line 2, with 1-square offset...

blue text, back to left, on line 3...

Additional informations

3 Introduction


There's few other possibilities with the package `WorkOnGrid`, but for the moment only with *french* keys, so there's no specific documentation for these commands.

To sum up, they create full paper grid (by preference for `a4paper`), with the ability to write paragraph.

4 Example

```
\begin{PleinePageRuled}[NumLignes]
    \LignePapierRuled[Echelle=1.25,Ligne=1]{C. PIERQUET \hfill LaTeX}
    \LignePapierRuled[Echelle=1.25,Ligne=2,Couleur=red]<center>\underline{\cursive\bfseries Evaluation 3}}
    \CadreNoteRuled{3}
    \LignePapierRuled[Echelle=1.25,Ligne=8,Couleur=green!50!black]{\sffamily\underline{Exercise 1 :}}
    \ParagraphePapierRuled[Ligne=9]{\cursive\lipsum[1]}
    \ParagraphePapierRuled[Ligne=22]
    {%
        We try with math, $1+\frac{12}{3}=\frac{32}{3}$, inline, with several lines.\\
        And another math example, $\int_0^1 2x dx = 1$.\\
        A new line now !
    }
\end{PleinePageRuled}
```

Code 

Evaluation 3Exercise 1 :

*Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, ve
ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu
libero, nonummy eget, consectetuer id, vul
neque. Pellente
turpis ege
ve
cerat. Integer sapien e
sem vel leo ultrice
pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget
risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci
sit amet orci dignissim rutrum.*

We try with math, $1 + \frac{1}{2} = \frac{3}{2}$, inline, with several lines.

And another math example, $\int_0^1 2x dx = 1$.

A new line now !

History

- v0.1.8 : Styles for rules thickness
- v0.1.7 : New feature for french paper PleinePageCinqCinq
- v0.1.6 : Possibility to automatically determine L&C based on the remaining space.
- v0.1.4 : New [keys] + enhancements for paragraphs, for french version (for the moment...)
- v0.1.4 : xcolor isn't loaded with [table,svgnames])
- v0.1.3 : Command to display a grid (w/o writing on it)
- v0.1.2 : Shortcuts for default colors + small bugfixes
- v0.1.1 : Best color choice
- v0.1.0 : Initial version